

# Gateways for DDS

[return to the DDS Family of Standards](#)

<b>ddsweb</b>	defines a platform-independent Abstract Interaction Model of how web clients should access a <a href="#">data_distribution_service_dds</a> System and a set of mappings to specific web platforms that realize the <a href="#">pim</a> in terms of standard web technologies and protocols.
<b>ddsopcua</b>	defines a standard, configurable <a href="#">gateway</a> that enables <a href="#">interoperability</a> and information exchange between systems that use DDS and systems that use <a href="#">opc_ua</a> .
<b>ddsxrce</b>	defines the <a href="#">protocol</a> used by a resource constrained, low-powered device (client) to publish and subscribe data to a <a href="#">DDS Domain</a> . The XRCE protocol connects the XRCE client to a DDS Agent that acts as the gateway to the DDS Domain.

From:  
<https://www.omgwiki.org/ddsf/> - **DDS Foundation Wiki**

Permanent link:  
[https://www.omgwiki.org/ddsf/doku.php?id=ddsf:public:guidebook:06\\_append:01\\_family\\_of\\_standards:04\\_gate:start&rev=1601483703](https://www.omgwiki.org/ddsf/doku.php?id=ddsf:public:guidebook:06_append:01_family_of_standards:04_gate:start&rev=1601483703)

Last update: **2020/09/30 12:35**

