

2.3.2.3 Public Networks

[return to Network Access Control](#)

Public networks are distributed and open, allowing participation in core activities of the network from any node sponsored by anyone. Participation includes joining, leaving, reading, writing, and auditing the activities on the network. There are no authorities or discrimination of nodes.

Benefits of Public Networks

Open Read and Write¹⁾

Anyone can participate by submitting transactions to the blockchain, such as Ethereum or Bitcoin; transactions can be viewed on the blockchain explorer.

Ledger Is Distributed²⁾

The database is not centralized like in a client-server approach, and all nodes in the blockchain participate in the transaction validation.

Immutable³⁾

When something is written to the blockchain, it can not be changed, in other words it is [immutable](#).

Secure Due to Mining (protection from the [Fifty-One Percent \(51% Attack\)](#)⁴⁾)

For example, with Bitcoin, obtaining a majority of network power could potentially enable massive double spending, and the ability to prevent transaction confirmations, in addition to other potentially malicious acts.

¹⁾

“Public Vs Private [blkchn](#) In A Nutshell”, Demiro Massessi, 12 December 2018, <https://medium.com/coinmonks/public-vs-private-blockchain-in-a-nutshell-c9fe284fa39f>

²⁾ ³⁾ ⁴⁾

“Public Vs Private Blockchain In A Nutshell”, Demiro Massessi, 12 December 2018, <https://medium.com/coinmonks/public-vs-private-blockchain-in-a-nutshell-c9fe284fa39f>

From:
<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:
https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:1.2_views:3_taxonomic:2_network_access_ctrl:public&rev=1605253832

Last update: **2020/11/13 02:50**

