

2.3.3.1.2.2 Staking Node

[return to Archival Node](#)

A **staking node** is usually a [lightweight node \(wallet\)](#). It allows for the aggregation of individual stakeholders stakes in [Proof of Stake \(PoS\)](#) a node network. The collection of tokens (i.e., coins) has a higher weight ¹⁾ and improves the chances of receiving more rewards for validating a block of transactions. ²⁾

Characteristics of Staking Nodes³⁾

- Ease of setup (basically a [lightweight node \(wallet\)](#))
- No initial startup costs
- No payout delay
- No penalty for being offline
- No minimum balance
- No guarantee of returns
- Usually smaller returns than a [masternode](#)

¹⁾

See [Weight of Network](#)

²⁾

“Blockchain Nodes: An In-Depth Guide”, <https://nodes.com/>

³⁾

“Masternode vs Staking”, Solaris Support Center, 26 June 2019,
<https://solaris.helpsite.com/articles/24861-masternode-vs-staking>

From:
<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:
https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:1.2_views:3_taxonomic:3_node_tax:full:archival:2_staking&rev=1617029318

Last update: **2021/03/29 10:48**

