

4.3.1 Portability

[return to Non-Functional Requirements](#)

About

Portability is the *degree of effectiveness and efficiency with which a system, product or component can be transferred from one hardware, software or other operational or usage environment to another. This characteristic is composed of the following sub-characteristics:*¹⁾

- **Adaptability** - Degree to which a product or system can effectively and efficiently be adapted for different or evolving hardware, software or other operational or usage environments.
- **Installability** - Degree of effectiveness and efficiency with which a product or system can be successfully installed and/or uninstalled in a specified environment.
- **Replaceability** - Degree to which a product can replace another specified software product for the same purpose in the same environment.

The phrase “to port” means to modify software and make it adaptable to work on a different computer system. For example, to port an [application](#) to Linux means to modify the program so that it can be run in a Linux environment.

Portability also refers to the ability of an application to move across environments, not just across platforms. To clarify, a computer platform generally refers only to the operating system and computer hardware. A computer environment is much broader and may include the hardware, the operating system and the interfaces with other software, users and programmers.

¹⁾

ISO/IEC 25010, [Portability](#), Accessed 27 July 2020,

<https://iso25000.com/index.php/en/iso-25000-standards/iso-25010/64-portability>

From:

<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:

https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:1.4_req:2_nonfunc:10_portability&rev=1627318874

Last update: **2021/07/26 13:01**

