

## 4.3.3.5 Testability

[Return to Maintainability](#)

- **[char]Please Review**

### About

[Return to Top](#)

*Testability*, *Testable*, *Testing* and *Test* are not synonyms for each other. Just because a system or program is undergoing testing using various tests does not necessarily mean that the system or program is actually *Testable*. The following table provides definitions for each of these four terms, associates each with the appropriate Structured Assurance Case, as well as, level in the Cognitive Model's Science and Knowledge Management **DIKW** (Data, Information, Knowledge and Wisdom) pyramid.

DIKW pyramid level	Structured Assurance Case	Term	Description
--------------------	---------------------------	------	-------------

DIKW pyramid level	Structured Assurance Case	Term	Description
Understanding	Software Assurance (SwA)	Testability	<p><b>Testability</b> is about <a href="#">documenting</a> the functionality and <a href="#">requirements</a> for a system or program and verifying that these requirements will be or have been met. <a href="#">Functional requirements</a> are generally not a problem since most of these are directly measurable or observable. Functional requirements are often directly measured or observed: a data field needing to be provided, a relationship existing between two pieces of data, or a relationship that is one-to-many or a many-to-many. For example, every person must have a unique company <a href="#">ID</a> number but they may have multiple phone numbers and also belong to multiple organizations. Other functional requirements are not so definite, but expressed in terms of a range of acceptable values. For example, a <a href="#">Graphical User Interface (GUI)</a> will respond in less than 5 seconds or the heart pulse rate is between 35 to 200 beats per minute.</p> <p>In contrast, <a href="#">non-functional requirements</a> are generally more abstract: they relate to the <a href="#">quality</a> of the system or program being delivered (i.e., portable, reliable, maintainable, secureable, scalable, et.) and are usually are not directly measurable or observable but must be inferred from characteristics found in the delivered system's or product's architecture, design and implementation. These kinds of requirements require ways to characterize assurance and are specified as <i>claims</i> (i.e., the system has a <a href="#">High Availability</a> ) which require <a href="#">sub-claims</a>, <a href="#">arguments</a> (i.e., <a href="#">Availability</a> can be predicted by using the <a href="#">Mean Time To Repair (MTTR)</a>) of 5 minutes, 15 seconds or less of <a href="#">downtime</a> in a year for all components. These kinds of requirements are generally specified in a <a href="#">Performance or Functional Specifications</a> and their is tendency to only describe hardware specifications, but the <a href="#">performance</a> specification can also capture non-functional metrics as well.</p> <ul style="list-style-type: none"> <li>• <b>Note</b> Testability metrics are not limited to operational systems or programs but can also use system or program level artifacts describing architecture, design, discussion papers, outside references, software and executables.</li> <li>• Another problem when reviewing requirements and trying to determine if they are actually “testable”. Here is a list of some common “mistakes” found in requirement documents<sup>11</sup>: <ul style="list-style-type: none"> <li>• <b>Noise:</b> Text containing no information relevant to any aspect of the problem. For example, A standalone application that does not need access to the <a href="#">Ethernet</a> <ul style="list-style-type: none"> <li>◦ The system shall conform to IPV6 ...</li> </ul> </li> <li>• <b>Silence:</b> A feature not covered by any text within the Requirements documents or the specification</li> <li>• <b>Over-specification:</b> Description of the solution rather than of the problem. For example, <ul style="list-style-type: none"> <li>◦ The <a href="#">distributed system</a> must use blockchain. (blockchain is one of many distributed technologies used by Cryptocurrencies)</li> </ul> </li> <li>• The system must use a checkbox to select the appropriate option</li> <li>• <b>Contradictory:</b> Mutually incompatible descriptions of the same feature. For example, <ul style="list-style-type: none"> <li>◦ The system shall not record any personal information</li> <li>◦ The system shall record all transactions and the parties participating in the transaction</li> </ul> </li> <li>• <b>Ambiguity:</b> Text that can be interpreted more than one way <ul style="list-style-type: none"> <li>◦ The system shall support real-time operations (what is real-time?)</li> </ul> </li> <li>• <b>Forward reference:</b> Referring to a feature not yet described <ul style="list-style-type: none"> <li>◦ The system shall publish all information on a <a href="#">topic</a> (but topic has not been officially defined yet)</li> </ul> </li> <li>• <b>Wishful thinking:</b> Defining a feature that can't be validated <ul style="list-style-type: none"> <li>◦ The system shall initialize all values with intelligent default choices.</li> </ul> </li> <li>• <b>Weak phrases:</b> Causing uncertainty (“adequate”, “usually”, “etc.”) For Example, <ul style="list-style-type: none"> <li>◦ When possible, the systems shall do ...</li> <li>◦ The system shall collect their data (whose data?)</li> </ul> </li> <li>• <b>Jigsaw puzzles:</b> Requirements distributed across a document and then cross-referenced</li> <li>• <b>Duckspeak:</b> Requirements only there to conform to standards</li> <li>• <b>Terminology invention:</b> “user input/presentation function”; “airplane reservation data validation function”. For example, <ul style="list-style-type: none"> <li>◦ The system shall use a double blind logged journal entry (huh, what is that?)</li> </ul> </li> <li>• <b>Putting the onus on developers and testers:</b> to guess what the requirements really are. <ul style="list-style-type: none"> <li>◦ The system shall use a right-handed approach when presenting data</li> </ul> </li> </ul> </li> </ul>


DIKW pyramid level	Structured Assurance Case	Term	Description
Knowledge	Claim	Testable	<p>A <b>Testable attribute</b> of a system or program is a functional or nonfunctional requirement is testable or not. All requirements can not be tested. Some requirements can be directly tested for by running specific tests (i.e., <a href="#">Unit Testing</a>, <a href="#">integration testing</a>, etc.) using test plans that exercise the portion of the system or program software responsible for providing the functionality. For example, the system is suppose to offer the choice of none, one, many. Another example might be that when an option is selected, a message is sent out over the network.</p> <p>Other requirements are not directly testable by design and therefore are untestable. Often, these requirements are met through the use of mathematical proofs or demonstrations. For example, the generation of a <a href="#">Universally Unique Identifier (UUID)</a> can not be tested directly, but the algorithm must provide an explanation and a proof that no two sets of conditions can produce the same UUID. Often there is a risk of generating the same UUID, but the chances of the UUID being used in identical is even smaller. Another example would be the <a href="#">reCAPTCHA</a> which shows a series of photos and asks the user to identify the one with green peas in it. The order of the photos and the thing it is asking you to identify are randomly assigned.</p>
Information	Argument	Testing	<p>Testing is a <u>process</u> that generally involves the execution of the system or program under scripted, controlled situations. The scripts can be human instructions in documents or they can be captured in text files that a testing engine uses to drive the software. Sometimes, a Unit Test is used to test the individual modules before they are integrated into the system or program. There are various requirement conformity checks that can be done to verify functional requirements:</p> <ol style="list-style-type: none"> <li>1. <a href="#">Unit Testing</a></li> <li>2. <a href="#">Integration Testing</a></li> <li>3. <a href="#">End-to-End Testing (E2E Testing)</a></li> <li>4. <a href="#">Smoke Testing</a></li> <li>5. <a href="#">Sanity Testing</a></li> <li>6. <a href="#">Regression Testing</a></li> <li>7. <a href="#">Acceptance Testing</a></li> <li>8. <a href="#">White Box Testing</a></li> <li>9. <a href="#">Black Box Testing</a></li> <li>10. <a href="#">Interface Testing</a></li> <li>11. <a href="#">Interoperability Testing</a></li> </ol>
Data	Evidence	Test	<p>Is about <u>collecting</u> the evidence used to support arguments, sub-claims and claims made about the system or program. There is not a one-to-one relationship between a Test, an <a href="#">Argument</a>, Sub-Claim or a Claim. Instead, one piece of data can support multiple Arguments, an Argument can support multiple Sub-Claims or Claims. That is why it is so important to have a Structured Assurance Case Model.</p>

## DDS Specifics

[Return to Top](#)

*TBD - to be added/expanded in future revisions of the DIDO RA*

1)  
[Achieving Requirements Testability](#), ProlificsTesting, 10 October 2018 Accessed on 9 August 2020  
<https://www.prolifics-testing.com/news/achieving-requirements-testability>



From:

<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:

[https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:1.4\\_req:2\\_nonfunc:20\\_maintainability:testability&rev=1622663395](https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:1.4_req:2_nonfunc:20_maintainability:testability&rev=1622663395)

Last update: **2021/06/02 15:49**

