

Condition

[Return to Glossary](#)

A **Condition** is an [object](#) attached to a [WaitSet](#) which allows a thread to block until one or more of the attached condition objects evaluates to true or until the timeout occurs. Each Condition has a `trigger_value` that can be true or false and is set by the Data Distribution Service. Conditions can be of type:

- **Guard Condition**

[Application](#) controlled, unblocks a [WaitSet](#) manually by triggering the `GuardCondition` `set_trigger_value(TRUE)`.

- **Status Condition**

Provides a generic mechanism for the application to be informed about relevant communication status conditions from [Entity](#) objects that have status attributes, access is provided to the application by the `get_statuscondition` operation. The available status' depend on the Entity and are described in your relevant language reference guide.

- **Read Condition**

Allows an application to specify the data samples it is interested in by means of their lifecycle states. The `WaitSet` triggers as long as data is available that matches the selected `SampleState`, `ViewState` and

- **Query Condition**

Allows an application to specify the data samples it is interested in by means of an [SQL](#)-expression.

Source: [OpenSplice Glossary](#)

From:

<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:

https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:xapend:xapend.a_glossary:c:condition

Last update: **2021/10/04 13:40**

