

BIP 0035 - mempool message

[return to the Bitcoin Improvement Proposals](#)

Table 1: Data sheet for mempool message

Title	mempool message
Layer	Peer Services
Author	Jeff Garzik
Comments-Summary	No comments yet.
Comments-URI	https://github.com/bitcoin/bips/wiki/Comments:BIP-0035
Status	Final
Type	Standards Track
Created	2012-08-16
Post History	
Description	https://github.com/bitcoin/bips/blob/master/bip-0035.mediawiki

Note: The following is an excerpt from the official [Bitcoin](#) site. It is provided here as a convenience and is not authoritative. Refer to the original document(s) as the authoritative reference.

Abstract

Make a network node's transaction memory pool accessible via a new "mempool" message. Extend the existing "getdata" message behavior to permit accessing the transaction memory pool.

Motivation

Several use cases make it desirable to expose a network node's transaction memory pool:

- 1. [Simple Payment Verification \(SPV\)](#) clients, wishing to obtain zero-confirmation transactions sent or received.*
- 2. Miners, to avoid missing lucrative fees, downloading existing network transactions after a restart.*
- 3. Remote network diagnostics.*

From:
<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:
https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:xapend:xapend.b_stds:defact:bitcoin:bips:bip_0035&rev=1627334495

Last update: **2021/07/26 17:21**

