

DIDO RA 3.0 (Full Version)

- Reference Architecture (RA)
- Front Matter
- a. Cover Page
- OMG Discussion Paper Disclaimer
- b. Change Log
- c. Abstract
- d. Copyright Notice
- f. Preface
- 1 Introduction
- 1.1 Problem
- 1.2 Purpose
- 1.3 Content Organization
- 2 Architectural Views
- 2.1 Stakeholder Views
- 2.1.1 Platform View
- 2.1.2 Domain View
- 2.1.3 Ecosystem View
- 2.1.4 Ecosphere View
- 2.1.5 Exchange View
- 2.1.6 Enterprise View
- 2.1.7 Relevant Community Standards
- 2.2 Technical Views
- 2.2.1 Fundamental Views
- 2.2.1.1 Interfaces
- 2.2.1.1.1 Platform Interface
- 2.2.1.1.2 Software Interfaces
- 2.2.1.1.3 Human Interfaces
- 2.2.1.2 Tools
- 2.2.1.2.1 Logging
- 2.2.1.2.2 Semantic Web
- 2.2.1.2.3 Open Source Communities
- 2.2.1.3 Case Management
- 2.2.1.4 System of Systems (SoS)
- 2.2.1.5 Quality
- 2.2.1.6 Open Source Paradigm
- 2.2.1.7 Assurance
- 2.2.2 Node Network View
- 2.2.2.1 Network View
- 2.2.2.1.1 Secure Messaging
- 2.2.2.1.2 Transport
- 2.2.2.1.3 Security
- 2.2.2.1.4 Protocol
- 2.2.2.1.5 Distribution Software
- 2.2.2.2 Node View

- [2.2.2.2.1 Operating System \(OS\)](#)
- [2.2.2.2.2 Operating Environment](#)
- [2.2.2.2.3 DIDO Platform](#)
- [2.2.2.2.4 Distributed Applications](#)
- [2.2.2.3 Node Architecture](#)
- [2.2.2.3.1 Immutable Data Objects](#)
- [2.2.2.3.1.1 Ledger](#)
- [2.2.2.3.1.2 Transactions](#)
- [2.2.2.3.1.3 Identities](#)
- [2.2.2.3.1.4 Wallets](#)
- [2.2.2.3.2 Ancillary Data](#)
- [2.2.2.3.2.1 Journal](#)
- [2.2.2.3.2.2 Transforms](#)
- [2.2.2.3.2.3 Distributed Applications](#)
- [2.2.2.3.2.4 Web Applications](#)
- [2.2.2.3.2.5 Exchanges](#)
- [2.2.2.3.3 Semantic Web](#)
- [2.2.2.3.4 Software](#)
- [2.2.2.4 Messaging View](#)
- [2.2.3 Decentralized Finance \(DeFi\) Layers](#)
- [2.3 Taxonomic Views](#)
- [1_topologies](#)
- [2.3.1.1 Centralized Network Topology](#)
- [2.3.1.2 Decentralized Network Topology](#)
- [2.3.1.3 Distributed Network Topology](#)
- [2.3.1.4 Relevant Networking Standards](#)
- [2_network_access_ctrl](#)
- [2.3.2.1 Permissionless Networks](#)
- [2.3.2.2 Permissioned Networks](#)
- [2.3.2.3 Public Networks](#)
- [2.3.2.4 Private Networks](#)
- [2.3.2.5 Hybrid Networks](#)
- [3_node_tax](#)
- [2.3.3.1 Full Node](#)
- [2.3.3.1.1 Pruned Node](#)
- [2.3.3.1.2 Archival Node](#)
- [2.3.3.1.2.1 Authority Node](#)
- [2.3.3.1.2.2 Staking Node](#)
- [2.3.3.1.2.3 Mining Node](#)
- [2.3.3.1.2.4 Masternode](#)
- [2.3.3.2 Lightweight Node \(Wallet\)](#)
- [2.3.3.3 Lightning Node](#)
- [2.3.3.4 Permanode](#)
- [4_data_tax](#)
- [2.3.4.3.1 Ledger Data](#)
- [2.3.4.3.2 Ancillary Data](#)

- 2.3.4.3.3 External Data
- 3 Governance
 - 3.1 DIDO Communities
 - 3.1.1 Stakeholder Communities
 - 3.1.2 Software Communities
 - 3.2 Legal Documents
 - 3.2.1 Charter
 - 3.2.2 Bylaws
 - 3.2.3 Policies and Procedures (P&P)
 - 3.3 Guides
- 4 Requirements
 - 4.1 About Requirements
 - 4.1.1 Governance Requirements Model
 - 4.1.2 Cognitive Requirements Model
 - 4.1.3 Governing Roles - Combined Requirements Model
 - 4.1.4 Example of a Using the Combined Requirements Model
 - 4.1.5 The Current State of DIDO Requirements
 - 4.1.6 One Degree of Freedom Rule
 - 4.1.7 Specifying Requirements
 - 4.2 Functional Requirements
 - 4.2.1 Platforms
 - 4.2.1.1 Hardware Platform
 - 4.2.1.2 Operating System Platform
 - 4.2.1.3 Runtime Platforms
 - 4.2.1.4 Network Platforms
 - 4.2.1.5 Virtualized Nodes
 - 4.2.2 Access Control
 - 4.3 Non-Functional Requirements
 - 4.3.1 Portability
 - 4.3.1.1 Adaptability
 - 4.3.1.2 Installability
 - 4.3.1.3 Replaceability
 - 4.3.2 Reliability
 - 4.3.2.1 Maturity
 - 4.3.2.2 Availability
 - 4.3.2.3 Fault Tolerance
 - 4.3.2.4 Recoverability
 - 4.3.3 Maintainability
 - 4.3.3.1 Modularity
 - 4.3.3.2 Reusability
 - 4.3.3.3 Analysability
 - 4.3.3.4 Modifiability
 - 4.3.3.5 Testability
 - 4.3.4 Securability
 - 4.3.4.1 Confidentiality
 - 4.3.4.2 Data Integrity
 - 4.3.4.3 Non-Repudiation
 - 4.3.4.4 Authenticity

- [4.3.4.5 Accountability](#)
- [4.3.5 Manageability](#)
- [4.3.5.1 Types of Manageability Functions](#)
- [4.3.5.2 Manageability Costs](#)
- [4.3.5.3 System Manageability Issues](#)
- [4.3.5.4 Software Manageability Issues](#)
- [4.3.6 Usability](#)
- [4.3.6.1 Effectiveness Metrics](#)
- [4.3.6.2 Efficiency Metrics](#)
- [4.3.6.3 Attitude / Satisfaction Metrics](#)
- [4.3.7 Performance](#)
- [4.3.7.1 Platform Performance](#)
- [4.3.7.2 Application Performance](#)
- [4.3.7.3 Network Performance](#)
- [4.3.8 Interoperability](#)
- [4.3.9 Elasticity](#)
- [4.3.10 Scalability](#)
- [4.4.2.1 How to Use the Non-Functional Requirements Boilerplate](#)
- [4.4 Assessing Requirements](#)
- [4.4.1 Functional Requirements Assessment](#)
- [4.4.2 Non-functional Requirements Assessment](#)
- [Appendices](#)
- [xapend.a_glossary](#)
- [Glossary !-* Terms](#)
- [Glossary 0-9 Terms](#)
- [16-Bit](#)
- [32-Bit](#)
- [64-Bit](#)
- [Glossary A Terms](#)
- [Acceptance Testing](#)
- [Access Control](#)
- [Access Control Function](#)
- [Access Control List \(ACL\)](#)
- [Accessibility](#)
- [Accountability](#)
- [Adaptability](#)
- [Address Resolution Protocol \(ARP\)](#)
- [Address Resolution Protocol \(ARP\) Spoofing](#)
- [After Action Review \(AAR\)](#)
- [Aggregation Layer](#)
- [Agile Model](#)
- [American National Standards Institute \(ANSI\)](#)
- [American Standard for Information Interchange \(ASCII\)](#)
- [Analysability](#)
- [Application](#)
- [Application Container](#)

- Application Layer
- Application Performance
- Application Programming Interface (API)
- Application Security
- Application Specific Integrated Circuit (ASIC)
- Appropriateness Recognizability
- Architecture Adaptability
- Argument
- Assurance
- Authentication
- Authenticity
- Authorization
- Automation Pyramid
- Availability
- Glossary B Terms
- Backus-Naur Form (BNF)
- Bandwidth
- Big-Endian
- Bill of Lading (BL or BoL)
- Biometrics
- Bitcoin Wallet
- Bit Error
- Black Box Testing
- blkchn
- Blockchain Network
- Block Producers
- Block Validators
- Bluetooth
- Bootstrap
- Bridge
- Brownfield
- Bylaws
- Byzantine Fault Tolerance (BFT)
- Byzantine Generals Problem
- Glossary C Terms
- Cable Subscriber Protection
- California Consumer Privacy Act (CCPA)
- Capability Maturity Model Integration (CMMI)
- Category 5 (Cat-5)
- Category 6 (Cat-6)
- Category 7 (Cat-7)
- Category 8 (Cat-8)
- Central Processing Unit (CPU)
- Charter
- Children's Online Privacy Protection Act (COPPA)
- Claim
- Class
- Client

- [Client-Server](#)
- [Cloud Elasticity](#)
- [Coins](#)
- [Comma Separated Values \(CSV\)](#)
- [Command Line Interface \(CLI\)](#)
- [Command Shell](#)
- [Commercial Off-The-Shelf \(COTS\)](#)
- [Common Intermediate Language \(CIL\)](#)
- [Common Language Runtime \(CLR\)](#)
- [Common Object Request Broker Architecture \(CORBA\)](#)
- [Communication Protocol](#)
- [Communications Model](#)
- [Community of Interest \(Col\)](#)
- [Compiler](#)
- [Complex Instruction Set Computer \(CISC\)](#)
- [Computer Architecture](#)
- [Computing Platform](#)
- [Conceptual Schema](#)
- [Condition](#)
- [Confidentiality](#)
- [Confidentiality Agreement](#)
- [Configuration Management \(CM\)](#)
- [Conformance Specification](#)
- [Consensus Algorithm](#)
- [Container](#)
- [Container Engine](#)
- [Container Host](#)
- [Container OS](#)
- [Control Level](#)
- [Copyleft](#)
- [Copyright](#)
- [Cryptocurrency](#)
- [CyberSecurity Culture \(CSC\)](#)
- [Glossary D Terms](#)
- [Daemon](#)
- [Data-Centric](#)
- [Data-Centric Publish-Subscribe \(DCPS\)](#)
- [Data as a Service \(DaaS\)](#)
- [Data-at-Rest](#)
- [Database Driver](#)
- [DataBase Management System \(DBMS\)](#)
- [Data Definition Language \(DDL\)](#)
- [Data Distribution Service \(DDS\)](#)
- [Data-in-Motion](#)
- [Data Integrity](#)
- [Data-in-Use](#)

- Data Link Layer (DLL)
- Data Logging
- Data Manipulation Language (DML)
- Data Model (DM)
- Data Object (DO)
- Data Protection
- Data Protection Act 2018
- Data Quality
- Data Reader
- Data Security
- Datastore
- Data Structure
- Data Writer
- DDS Domain
- Decentralized Finance (DeFi)
- de facto Standard
- Delegated Byzantine Fault Tolerant (dBFT)
- Delegated Proof of Stake (DPoS)
- Department of Defense (DoD)
- Dependent Event
- DevOps
- DIDO Domain Community
- DIDO Ecosphere Community
- DIDO Ecosystem Community
- DIDO Platform
- Digital Rights
- Digital Rights Management (DRM)
- Directed Acyclic Graph (DAG)
- Disconnected, Intermittent and Limited (DIL)
- Discovery
- Disk Image
- Distributed Application (DApp or DApp)
- Distributed Denial-of-Service (DDoS)
- Distributed Immutable Data Objects (DIDO)
- Distributed Ledger Technology (DLT)
- Distributed System
- Docker
- Domain Integrity
- Domain Knowledge
- Domain Name System (DNS)
- Domain Participant
- Download Speed
- Downtime
- Driver's Privacy Protection Act of 1994 (DPPA)
- Duck Typing
- Durability
- Dynamic Host Configuration Protocol (DHCP)
- Dynamic Link Library (.dll)

- [Glossary E Terms](#)
- [Economies of Scale](#)
- [Elastic Compute Cloud \(EC2\)](#)
- [Encryption](#)
- [End-of-life \(EoL\)](#)
- [End-to-End Solution \(E2ES\)](#)
- [End-to-End Testing \(E2E Testing\)](#)
- [Endianness](#)
- [Endpoint](#)
- [Enterprise Resource Planning \(ERP\)](#)
- [Entity](#)
- [Entity Integrity](#)
- [Environment Variables](#)
- [Ethereum Improvement Proposal \(EIP\)](#)
- [Ethereum Request for Comment \(ERC\)](#)
- [Ethernet](#)
- [Evidence](#)
- [Executable File](#)
- [Glossary F Terms](#)
- [Failover](#)
- [Fault Tolerance](#)
- [Federal Deposit Insurance Corporation \(FDIC\)](#)
- [Field Level](#)
- [Fifty-One Percent \(51% Attack\)](#)
- [FIGI Symbology](#)
- [Figure of Merit \(FoM\)](#)
- [File Transfer Protocol \(FTP\)](#)
- [Financial Instrument Global Identifier \(FIGI\)](#)
- [Firewall](#)
- [Five Nines](#)
- [Flowchart](#)
- [Full-Disk Encryption \(FDE\)](#)
- [Full Node](#)
- [Functional Language](#)
- [Functional Programming](#)
- [Functional Requirements](#)
- [Fungible](#)
- [Glossary G Terms](#)
- [Gateway](#)
- [General-Purpose Graphics Processing Unit \(GPGPU\)](#)
- [General Data Protection Regulation \(GDPR\)](#)
- [Goal](#)
- [Google Mobile Services \(GMS\)](#)
- [Government Off-The-Shelf \(GOTS\)](#)
- [Graphical User Interface \(GUI\)](#)
- [Graphics Processing Unit \(GPU\)](#)

- Greenfield
- Glossary H Terms
- Hard Fork
- Hardware Firewall
- Health Insurance Portability and Accountability Act (HIPAA)
- History QoS
- Horizontal Scaling
- Hub
- Human-machine interface (HMI)
- Hybrid Network
- Hype-Cycle
- Hypertext Transfer Protocol (HTTP)
- Hypertext transfer protocol (HTTP) Request
- Hypertext transfer protocol (HTTP) Response
- Hypertext Transport Protocol Secure (HTTPS)
- Hypervisor
- Glossary I Terms
- Identification
- Identifier (ID)
- Immutable
- Independent Event
- Industrial Internet of Things (IIoT)
- Information Assurance (IA)
- Information Security (IS/InfoSec)
- Information Technology (IT)
- Infrared Wireless Networking
- Infrastructure-as-a-Service (IaaS)
- Initial Coin Offering (ICO)
- Installability
- Instance
- Institute of Electrical and Electronics Engineers (IEEE)
- Integration Testing
- Intellectual Property (IP)
- Interface
- Interface Testing
- International Organization for Standardization (ISO)
- Internet
- Internet of Things (IOT)
- Internet Protocol (IP)
- Internet Protocol Address (IP Address)
- Internet Service Provider (ISP)
- Interoperability
- Interoperability Testing
- ISO 9001
- ISO 15288
- ISO 90003-2018
- Glossary J Terms
- Java Database Connectivity(JDBC)

- [JavaScript](#)
- [JavaScript Object Notation \(JSON\)](#)
- [Jitter](#)
- [Just-In-Time \(JIT\)](#)
- [Glossary K Terms](#)
- [Key](#)
- [Know Your Customer \(KYC\)](#)
- [Glossary L Terms](#)
- [Latency](#)
- [Learnability](#)
- [Ledger](#)
- [License Distribution](#)
- [License Linking](#)
- [License Modification](#)
- [License Patent Grant](#)
- [License Private Use](#)
- [Licensing Sublicensing](#)
- [Licensing Trademark Grant](#)
- [Lightning Network](#)
- [Light Node](#)
- [Listener](#)
- [Little-Endian](#)
- [Liveliness QoS](#)
- [Local Area Network \(LAN\)](#)
- [Logical Integrity](#)
- [Glossary M Terms](#)
- [Maintainability](#)
- [Maintainability Measure](#)
- [Manageability](#)
- [Management Level](#)
- [Manufacturing Execution System \(MES\)](#)
- [Massively Parallel Processing \(MPP\)](#)
- [Mean Active Maintenance Down Time \(MAMDT\)](#)
- [Mean Logistics Delay Time \(MLDT\)](#)
- [Mean Time Between Failure \(MTBF\)](#)
- [Mean Time To Failure \(MTTF\)](#)
- [Mean Time To Repair \(MTTR\)](#)
- [Media Access Control \(MAC\)](#)
- [Message-Oriented Middleware \(MOM\)](#)
- [Message Queue\(MQ\)](#)
- [Metadata](#)
- [Microcontroller](#)
- [Micropayment Channel](#)
- [Middleware](#)
- [Miner Node](#)
- [Mission Assurance \(MA\)](#)

- Mission Critical System
- Modem
- Modifiability
- Modified Off-The-Shelf (MOTS)
- Modularity
- Module
- Monitoring Software
- Motherboard
- Multi-core Processor
- Multi-Signature (multisig)
- Must (Requirement)
- Glossary N Terms
- N-Tier Architecture
- NATO Off-The-Shelf (NOTS)
- Near-Field-Communication (NFC)
- Network Appliance
- Network Attached Storage (NAS)
- Network Cabling
- Network Device
- Network Interface Card (NIC)
- Network Layer
- Network Node
- Network Performance
- Network Security
- Network Topology
- Network Traffic Analyzer
- Node
- Node Network
- Non-Disclosure Agreement (NDA)
- Non-Functional Requirements
- Non-Repudiation
- Normalization
- NoSQL
- Glossary O Terms
- Object
- Object-Oriented Programming (OOP)
- Objective
- Object Management Group® (OMG®)
- One-Time PIN (OTP)
- Ontology
- Open Database Connectivity (ODBC)
- Open Source Software (OSS)
- Open Systems Interconnection (OSI) Model
- Operability
- Operating System (OS)
- Operational transformation (OT)
- Operator
- Oracle

- [Owner](#)
- [Ownership QoS](#)
- [Glossary P Terms](#)
- [Package Manager](#)
- [Packet Loss](#)
- [Packet Switched Network \(PSN\)](#)
- [Parallel Processing](#)
- [Parliamentary Authority](#)
- [Partition](#)
- [Payment Channel](#)
- [Pedigree](#)
- [Peer-to-Peer \(P2P\)](#)
- [Performance](#)
- [Performance Efficiency Measure](#)
- [Performance or Functional Specifications](#)
- [Permissioned Networks](#)
- [Permissionless Networks](#)
- [Permissive Open Source Software](#)
- [Personal Identifiable Information \(PII\)](#)
- [Physical Integrity](#)
- [Physical Layer](#)
- [Physical Security](#)
- [Planning Level](#)
- [Platform](#)
- [Platform-as-a-Service \(PaaS\)](#)
- [Platform Independent Model \(PIM\)](#)
- [Platform Security](#)
- [Platform Specific Model \(PSM\)](#)
- [Plug In](#)
- [Point-to-Point](#)
- [Policies and Procedures \(P&P\)](#)
- [Policy](#)
- [Portability](#)
- [Portable Operating System Interface \(POSIX\)](#)
- [Port Number](#)
- [Presentation Layer](#)
- [Principle](#)
- [principles](#)
- [Private Network](#)
- [Privileges](#)
- [Procedural Language](#)
- [Procedure](#)
- [Processor](#)
- [Programming Language](#)
- [Project Management Software](#)
- [Proof of Authority \(PoA\)](#)

- Proof of Stake (PoS)
- Proof of Work (PoW)
- Protocol
- Protocol Layer
- Provenance
- Public Key Infrastructure (PKI)
- Public Network
- Publish-Subscribe
- Publisher
- Glossary Q Terms
- Quality of Service (QoS) Policies
- Glossary R Terms
- Radio Frequency Identification (RFID)
- Read-Only Memory (ROM)
- Reboot the World Problem
- reCAPTCHA
- Recoverability
- Reduced Instruction Set Computer (RISC)
- Reference Architecture (RA)
- Referential Integrity
- Registered Agent
- Regression Testing
- Relational DataBase Management System (RDBMS)
- Reliability, Maintainability, and Availability (RAM)
- Reliability Measure
- Relocatable Object
- Repairability
- Repeater
- Replaceability
- Representational State Transfer (REST)
- Request For Comment (RFC)
- Request For Information (RFI)
- Request For Proposal (RFP)
- Requirement
- RESTful API
- Reusability
- Rich Site Summary (RSS)
- Risk
- Roundoff Error
- Router
- Glossary S Terms
- Safety-Critical System (SCS)
- Safety Assurance (SfA)
- Salami Slicing
- Sample
- Sanity Testing
- Sarbanes-Oxley Act (SOX)
- Scalability

- [Scaling Out](#)
- [Scaling Up](#)
- [Script](#)
- [Secure Shell \(SSH\)](#)
- [Secure Sockets Layer \(SSL\)](#)
- [Security Measure](#)
- [Semantics](#)
- [Semantic Web](#)
- [Sensor](#)
- [Sequence](#)
- [Server](#)
- [Servicability](#)
- [Session Layer](#)
- [Settlement Layer](#)
- [Shall \(Requirement\)](#)
- [Shared Library](#)
- [Shared Object \(.so\)](#)
- [Shielding](#)
- [Should \(Requirement\)](#)
- [Sidechain](#)
- [Simple Payment Verification \(SPV\)](#)
- [Single-Factor Authentication \(SFA\)](#)
- [Six Sigma \(6Sigma\)](#)
- [Smart Card](#)
- [smart_contracts](#)
- [Smoke Testing](#)
- [Snapshot](#)
- [Soft Fork](#)
- [Software Adaptability](#)
- [Software as a Service \(SaaS\)](#)
- [Software Assurance \(SwA\)](#)
- [Software Firewall](#)
- [Software Library](#)
- [Software Stack](#)
- [Source Code](#)
- [Special Interest Group \(SIG\)](#)
- [Special Rules](#)
- [Sprint](#)
- [Stakeholder](#)
- [Standards Developing Organization \(SDO\)](#)
- [Standards Organization](#)
- [standards_organization](#)
- [Standing Rules](#)
- [Static Library](#)
- [Statute](#)
- [Storage Device](#)

- Straight-through Processing (StP)
- Structured Query Language (SQL)
- Sub-Claim
- Subject Matter Expert (SME)
- Subscriber
- Subscriber Identity Module (SIM)
- Supervisory Control and Data Acquisition (SCADA)
- Supervisory Level
- Supply Chain
- Switch
- Symmetric Multiprocessing (SMP)
- Syntax
- System Assurance (SysA)
- System Lifecycle
- Systems and software Quality Requirements and Evaluation (SQuaRE)
- Glossary T Terms
- Tangle
- Taxonomy
- Technical Standard
- Testability
- Throughput
- Tokens
- Topic
- Total Cost of Ownership (TCO)
- Transmission Control Protocol (TCP)
- Transport Layer
- Transport layer security (TLS)
- Two-Factor Authentication (2FA)
- Glossary U Terms
- Unicode Transformation Format (UTF)
- Unified Modeling Language (UML)
- Uninterruptible Power Supply (UPS)
- Unique Identifier (UID)
- Unit Testing
- Universally Unique Identifier (UUID)
- Universal Serial Bus (USB)
- UNIX
- Upload Speed
- Usability
- Use-Case
- User Datagram Protocol (UDP)
- User Defined Integrity
- User Error Protection
- User Interface Aesthetics
- User Scenario
- Glossary V Terms
- Validation
- Value Chain

- [Vendor Lock-In](#)
- [Vertical Scaling](#)
- [Video Privacy Protection Act \(VPPA\)](#)
- [Virtual Disk Image \(VDI\)](#)
- [Virtual Machine \(VM\)](#)
- [Virtual Machine Images](#)
- [Glossary W Terms](#)
- [WaitSet](#)
- [Waterfall Model](#)
- [Web Application \(Web App\)](#)
- [Weight of Network](#)
- [White Box Testing](#)
- [Wide Area Network \(WAN\)](#)
- [Will \(Requirement\)](#)
- [Windows Registry](#)
- [Wired Network](#)
- [Wireless Fidelity \(Wi-Fi\)](#)
- [Wireless Network](#)
- [Wire Protocol](#)
- [Wizard](#)
- [Glossary X Terms](#)
- [eXtensible Markup Language \(XML\)](#)
- [XML Information Set \(XML Infoset\)](#)
- [XML Schema Definition \(XSD\)](#)
- [Glossary Y Terms](#)
- [Glossary Z Terms](#)
- [ZigBee](#)
- [xapend.b_stds](#)
- [Technical Standards Bodies](#)
- [asf](#)
- [apa_2.0](#)
- [ECMA International](#)
- [ECMA: Standard ECMA-262 - ECMAScript® 2018 Language Specification \(Javascript\)](#)
- [ECMA: Standard ECMA-334 - C# Language Specification](#)
- [ECMA: Standard ECMA-335 - Common Language Infrastructure \(CLI\)](#)
- [ECMA: Technical Report TR/84 - Common Language Infrastructure \(CLI\) - Information Derived from Partition IV XML File](#)
- [ECMA: Technical Report TR/89 - Common Language Infrastructure \(CLI\) - Common Generics](#)
- [Institute of Electrical and Electronics Engineers \(IEEE\)](#)
- [posix](#)
- [Internet Engineering Task Force \(IETF\)](#)
- [RFC0147 - The Definition of a Socket](#)
- [RFC0768 - User Datagram Protocol \(UDP\)](#)
- [RFC0791 - Internet Protocol \(IPv4\)](#)
- [RFC0793 - Transmission Control Protocol](#)
- [RFC1034 - Domain Names - Concepts and Facilities](#)

- RFC1035 - Domain Names - Implementation and Specification
- RFC1112 - Host Extensions for IP Multicasting
- RFC1831 - Remote Procedure Call Protocol Specification Version 2 (RPC)
- RFC2026 - The Internet Standards Process
- RFC2104 - Keyed-Hashing for Message Authentication (HMAC)
- RFC2246 - The TLS Protocol
- RFC2315 - Cryptographic Message Syntax
- RFC2426 - vCard MIME Directory Profile
- RFC2460 - Internet Protocol, Version 6 (IPv6) Specification
- RFC2818 - HTTP Over TLS (HTTPS)
- RFC3339 - Date and Time on the Internet: Timestamps
- RFC3447 - PKCS #1: RSA Cryptography Specifications
- RFC3596 - DNS Extension to support IP Version 6
- RFC4122 - A Universally Unique IDentifier (UUID) URN Namespace
- RFC5011 - Automated Updates of DNS Security (DNSSEC) Trust Anchors
- RFC5234 - Augmented BNF for Syntax Specifications: ABNF
- RFC5424 - The Syslog Protocol (SYSLOG)
- RFC6101 - The Secure Sockets Layer (SSL) Protocol Version 3.0
- RFC6376 - DomainKeys Identified Mail (DKIM) Signatures
- RFC6455 - The WebSocket Protocol
- RFC6749 - The OAuth 2.0 Authorization Framework
- RFC6750 - The OAuth 2.0 Authorization Framework: Bearer Token Usage
- RFC6891 - Extension Mechanisms for DNS (EDNS(0))
- RFC6979 - Deterministic Usage of the Digital Signature Algorithm (DSA) and Elliptic Curve Digital Signature Algorithm (ECDSA)
- RFC7061 - eXtensible Access Control Markup Language (XACML) XML Media Type
- RFC7235 - Hypertext Transfer Protocol (HTTP/1.1): Authentication
- RFC7405 - Case-Sensitive String Support in ABNF
- RFC8259 - The JavaScript Object Notation (JSON) Data Interchange Format
- International Organization for Standardization (ISO)
- ISO/IEC 19506:2012 Architecture-Driven Modernization (ADM) -- Knowledge Discovery Meta-Model (KDM)
- ISO/IEC 23360-1:2006 Linux Standard Base (LSB) core specification 3.1 -- Part 1: Generic specification
- ISO 9001:2015 Quality management
- ISO/IEC 9075-01:2016 Database languages — SQL — Part 1: Framework (SQL/Framework)
- ISO/IEC 9075-02:2016 Database languages — SQL — Part 2: Foundation (SQL/Foundation)
- ISO/IEC 9075-03:2016 Database languages — SQL — Part 3: Call-Level Interface (SQL/CLI)
- ISO/IEC 9075-04:2016 Database languages — SQL — Part 4: Persistent stored modules (SQL/PSM)
- ISO/IEC 9075-09:2016 Database languages — SQL — Part 9: Management of External Data (SQL/MED)
- ISO/IEC 9075-10:2016 Database languages — SQL — Part 10: Object language bindings (SQL/OLB)
- ISO/IEC 9075-11:2016 Database languages — SQL — Part 11: Information and definition schemas (SQL/Schemata)
- ISO/IEC 9075-13:2016 Database languages — SQL — Part 13: SQL Routines and types using the Java TM programming language (SQL/JRT)
- ISO/IEC 9075-14:2016 Database languages — SQL — Part 14: XML-Related Specifications (SQL/XML)

- [ISO/IEC 9241-210:2019 Ergonomics of human-system interaction](#)
- [ISO/IEC/IEEE 90003:2018 Software engineering – Guidelines for the application of ISO 9001:2015 to computer software](#)
- [ISO/IEC/IEEE 25000:2014 SQuaRE -- Guide to SQuaRE](#)
- [ISO/IEC 25001:2014 SQuaRE -- Planning and Management](#)
- [ISO/IEC 25010:2011 SQuaRE -- System and Software Quality Models](#)
- [ISO/IEC 25012:2008 SQuaRE -- Data Quality Model](#)
- [ISO/IEC 25020:2007 SQuaRE -- Measurement Reference Model and Guide](#)
- [ISO/IEC 25021:2012 SQuaRE -- Quality Measure Elements](#)
- [ISO/IEC 25022:2016 SQuaRE -- Measurement of Quality in Use](#)
- [ISO/IEC 25023:2016 SQuaRE -- Measurement of System and Software Product Quality](#)
- [ISO/IEC 25024:2015 SQuaRE -- Measurement of Data Quality](#)
- [ISO/IEC 25030:2007 SQuaRE -- Quality Requirements](#)
- [ISO/IEC 25040:2011 SQuaRE -- Evaluation Process](#)
- [ISO/IEC 25041:2012 SQuaRE -- Evaluation Guide for Developers, Acquirers and Independent Evaluators](#)
- [ISO/IEC 25045:2010 SQuaRE -- Evaluation Module for Recoverability](#)
- [ISO/IEC 9899:2018 Programming languages -- C](#)
- [ISO/IEC 14882:2017 Programming languages -- C++](#)
- [ISO/IEC 22275:2018 Programming Languages - ECMAScript Specification Suite](#)
- [ISO 8601-1:2019 Date and time -- Representations for information interchange -- Part 1: Basic rules](#)
- [ISO 8601-2:2019 Date and time -- Representations for information interchange -- Part 2: Extensions: Basic rules](#)
- [ISO/IEC/IEEE 15288:2015 Systems and software engineering -- System life cycle processes](#)
- [ISO/IEC 9834-8:2014 Information technology -- Procedures for the operation of object identifier registration authorities -- Part 8: Generation of universally unique identifiers \(UUIDs\) and their use in object identifiers](#)
- [ISO 10001:2018 Quality management — Customer satisfaction — Guidelines for codes of conduct for organizations](#)
- [ISO 10002:2018 Quality management — Customer satisfaction — Guidelines for complaints handling in organizations](#)
- [ISO 10003:2018 Quality management — Customer satisfaction — Guidelines for dispute resolution external to organizations](#)
- [ISO 10004:2018 Quality management — Customer satisfaction — Guidelines for monitoring and measuring](#)
- [International Telecommunications Union \(ITU\)](#)
- [ITU-T Y.2060 - Overview of the Internet of things](#)
- [National Institute of Standards and Technology \(NIST\)](#)
- [NIST: FIPS PUB 186-4: Digital Signature Standard \(DSS\)](#)
- [NIST: SP 800-89: Recommendation for Obtaining Assurances for Digital Signature Applications](#)
- [NIST: SP 800-126: The Technical Specification for the Security Content Automation Protocol \(SCAP\)](#)
- [Organization for the Advancement of Structured Information Standards \(OASIS\)](#)
- [OASIS: Assertions and Protocols for the OASIS Security Assertion Markup Language \(SAML\)](#)
- [OASIS: eXtensible Access Control Markup Language \(XACML\)](#)
- [Object Management Group \(OMG\)](#)
- [OMG: Automated Source Code CISQ Maintainability Measure \(ASCMM\)](#)

- OMG: Automated Source Code CISQ Measures (ASCQM)
- OMG: Automated Source Code CISQ Security Measure (ASCSM)
- OMG: Automated Source Code CISQ Performance Efficiency Measure (ASCPem)
- OMG: Automated Source Code CISQ Reliability Measure (ASCRM)
- OMG: CISQ Automated Enhancement Points (AEP)
- OMG: CISQ Automated Function Points (AFP)
- OMG: CISQ Automated Technical Debt Measure (ATDM)
- OMG: Case Management Model and Notation (CMMN)
- OMG: Data Distribution Service (DDS)
- OMG: DDS Interoperability Wire Protocol (DDSI-RTPS)
- OMG: ISO/IEC C++ 2003 Language DDS PSM (DDS-PSM-Cxx)
- OMG: Java 5 Language PSM for DDS (DDS-Java)
- OMG: OPC-UA/DDS Gateway (DDS-OPCUA)
- OMG: RPC Over DDS (DDS-RPC)
- OMG: DDS Security (DDS-SECURITY)
- OMG: Web-Enabled DDS (DDS-WEB)
- OMG: DDS Consolidated XML Syntax (DDS-XML)
- OMG: DDS For Extremely Resource Constrained Environments (DDS-XRCE)
- OMG: Extensible and Dynamic Topic Types for DDS (DDS-XTypes)
- OMG: Interface Definition Language (IDL)
- OMG: Ontology Definition Metamodel (ODM)
- OMG: Semantics Of Business Vocabulary and Rules (SBVR)
- OMG: Structured Assurance Case Metamodel (SACM)
- OMG: Structured Metrics Metamodel (SMM)
- OMG: Systems Modeling Language (SysML)
- OMG: Unified Architecture Framework (UAF)
- Open Source Initiative (OSI)
- OSI: The 2-Clause BSD License (BSD-2-Clause)
- OSI: The 3-Clause BSD License (BSD-3-Clause)
- OSI: GNU Library General Public License version 2 (LGPL-2.0)
- OSI: GNU Lesser General Public License version 2.1 (LGPL-2.1)
- OSI: GNU General Public License version 3 (GPL-3.0)
- OSI: The MIT License (MIT)
- OSI: Common Public License, Version 1.0 (CPL-1.0)
- OSI: Eclipse Public License Version 2.0 (EPL-2.0)
- OSI: Mozilla Public License (MPL-2.0)
- World Wide Web Consortium (W3C)
- W3C: Cascading Style Sheets Level 2 Revision 2 (CSS 2.2) Specification
- W3C: Decentralized Identifiers (DIDs) 1.0
- W3C: Document Object Model (DOM) Level 3 Core Specification
- W3C: HTML5 (HTML5)
- W3C: OWL 2 Web Ontology Language - Structural Specification and Functional-Style Syntax (second Edition)
- W3C: RDF 1.1 Concepts and Abstract Syntax (RDF)
- W3C: RDF 1.1 Terse RDF Triple Language (Turtle)
- W3C: SPARQL 1.1 Overview (SPARQL)
- W3C: Extensible Markup Language (XML) 1.0 (Fifth Edition)
- W3C: XML Schema Definition Language (XSD) 1.1 Part 1: Structures

- [W3C: XML Schema Definition Language \(XSD\) 1.1 Part 2: Datatypes](#)
- [W3C: XSL Transformations \(XSLT\) Version 3.0](#)
- [W3C: XML Path Language \(XPath\) 3.1](#)
- [de facto Standards Bodies](#)
- [amazon](#)
- [apache](#)
- [Apache: Log4cxx](#)
- [Apache: Log4j](#)
- [Apache: log4jscala](#)
- [Apache: log4net](#)
- [Apache: log4php](#)
- [apple](#)
- [Apple: Darwin](#)
- [Apple: iOS](#)
- [Apple: MacOS](#)
- [bitcoin](#)
- [Bitcoin: Bitcoin Improvement Proposals \(BIPs\)](#)
- [BIP 0011 - M-of-N Standard Transactions](#)
- [BIP 0013 - Address Format for pay-to-script-hash](#)
- [BIP 0014 - Protocol Version and User Agent](#)
- [BIP 0016 - Pay to Script Hash \(soft fork\)](#)
- [BIP 0021 - URI Scheme](#)
- [BIP 0022 - getblocktemplate - Fundamentals](#)
- [BIP 0023 - getblocktemplate - Pooled Mining](#)
- [BIP 0030 - Duplicate transactions \(soft fork\)](#)
- [BIP 0031 - Pong message](#)
- [BIP 0034 - Block v2, Height in Coinbase \(soft fork\)](#)
- [BIP 0035 - mempool message](#)
- [BIP 0037 - Connection Bloom filtering](#)
- [BIP 0042 - A finite monetary supply for Bitcoin \(soft fork\)](#)
- [BIP 0061 - Reject P2P message](#)
- [BIP 0065 - OP_CHECKLOCKTIMEVERIFY \(soft fork\)](#)
- [BIP 0068 - Relative lock-time using consensus-enforced sequence numbers \(soft fork\)](#)
- [BIP 0070 - Payment Protocol](#)
- [BIP 0071 - Payment Protocol MIME types](#)
- [BIP 0072 - bitcoin: uri extensions for Payment Protocol](#)
- [BIP 0073 - Use "Accept" header for response type negotiation with Payment Request URLs](#)
- [BIP 0091 - Reduced threshold Segwit MASF \(soft fork\)](#)
- [BIP 0112 - CHECKSEQUENCEVERIFY \(soft fork\)](#)
- [BIP 0113 - Median time-past as endpoint for lock-time calculations \(soft fork\)](#)
- [BIP 0137 - Signatures of Messages using Private Keys](#)
- [BIP 0141 - Segregated Witness \(Consensus layer\) \(soft fork\)](#)
- [BIP 0143 - Transaction Signature Verification for Version 0 Witness Program \(soft fork\)](#)
- [BIP 0144 - Segregated Witness \(Peer Services\)](#)
- [BIP 0145 - getblocktemplate Updates for Segregated Witness](#)
- [BIP 0147 - Dealing with dummy stack element malleability \(soft fork\)](#)

- BIP 0148 - Mandatory activation of segwit deployment (soft fork)
- Bitcoin: Developer's Guidance
- Bitcoin: Guide 1 Blockchain
- Bitcoin: Guide 2 Transactions
- Bitcoin: Guide 3 Contracts
- Bitcoin: Guide 4 Wallets
- Bitcoin: Guide 5 Payment Processing Guide
- Bitcoin: Guide 6 Operating Modes
- Bitcoin: Guide 7 Peer-to-Peer Networks
- Bitcoin: Guide 8 Mining
- Bitcoin: Bitcoinj Developer's Documentation
- cisd
- ethereum
- ethereum_solidity
- ethereum_vm
- Ethereum: Ethereum Improvement Proposals (EIPs)
- EIP 20: ERC-20 Token Standard
- EIP 55: Mixed-case checksum address encoding
- EIP 137: Ethereum Domain Name Service - Specification
- EIP 141: Designated invalid EVM instruction
- EIP 155: Simple replay attack protection
- EIP 162: Initial ENS Hash Registrar
- EIP 165: ERC-165 Standard Interface Detection
- EIP 181: ENS support for reverse resolution of Ethereum addresses
- EIP 190: Ethereum Smart Contract Packaging Standard
- EIP 191: Signed Data Standard (DRAFT)
- EIP 211: New opcodes: RETURNDATASIZE and RETURNDATACOPY
- EIP 214: New opcode STATICCALL
- EIP 721: ERC-721 Non-Fungible Token Standard
- EIP 777: ERC-777 Token Standard
- EIP 1167: Minimal Proxy Contract
- EIP 1820: Pseudo-introspection Registry Contract
- EIP 107: safe "eth_sendTransaction" authorization via html popup (DRAFT)
- EIP 234: `blockHash` to JSON-RPC filter options (DRAFT)
- EIP 695: Create `eth_chainId` method for JSON-RPC (DRAFT)
- EIP 712: Ethereum typed structured data hashing and signing (DRAFT)
- EIP 758: ERC-NN Subscriptions and filters for completed transactions (DRAFT)
- EIP 1102: Opt-in account exposure (DRAFT)
- EIP 1186: RPC-Method to get Merkle Proofs - eth_getProof (DRAFT)
- EIP 1193: Ethereum Provider JavaScript API (DRAFT)
- EIP 1474: Remote Procedure Call (RPC) specification (DRAFT)
- EIP 1767: GraphQL interface to Ethereum node data (DRAFT)
- EIP 1803: ERC-NN Rename opcodes for clarity (DRAFT)
- EIP 1898: ERC-NN Add `blockHash` to JSON-RPC methods which accept a default block parameter (DRAFT)
- Ethereum: Clients
- Ethereum: cpp Project
- Ethereum: Ethereumh Project

- [Ethereum: Ethereumjs-lib Project](#)
- [Ethereum: Ethereum_j Project](#)
- [Ethereum: Go-ethereum Project](#)
- [Ethereum: Parity Project](#)
- [Ethereum: Pyethapp Project](#)
- [Ethereum: Ruby-ethereum Project](#)
- [Ethereum: Clients](#)
- [Ethereum: cpp Project](#)
- [Ethereum: Ethereumh Project](#)
- [Ethereum: Ethereumjs-lib Project](#)
- [Ethereum: Ethereum_j Project](#)
- [Ethereum: Go-ethereum Project](#)
- [Ethereum: Parity Project](#)
- [Ethereum: Pyethapp Project](#)
- [Ethereum: Ruby-ethereum Project](#)
- [google](#)
- [Google: Android](#)
- [Google: Go \(software language\)](#)
- [Google: gRPC](#)
- [Google: Protocol Buffers](#)
- [iota](#)
- [linuxf](#)
- [Linux Foundation: Hyperledger](#)
- [Linux Foundation: OpenJS Foundation](#)
- [Kubernetes](#)
- [Node.js](#)
- [Linux Foundation: Open Middleware Agnostic Messaging API \(OpenMAMA\)](#)
- [Linux Foundation: Open Messaging](#)
- [ISO/IEC The Linux Standard Base 5 Specification Series \(LSB 5\)](#)
- [microsoft](#)
- [Microsoft: Windows API](#)
- [oracle](#)
- [Oracle: The Java® Language Specification SE 8 Edition](#)
- [Oracle: The Java® Virtual Machine Specification JVM](#)
- [Oracle: Java logger API](#)
- [todo](#)
- [TODO: How to create an open source program](#)
- [TODO: Measuring your open source program's success](#)
- [TODO: Tools for managing open source programs](#)
- [TODO: Using open source code](#)
- [TODO: Participating in open source communities](#)
- [TODO: Recruiting open source developers](#)
- [TODO: Starting an open source project](#)
- [TODO: Improve your open source development impact](#)
- [TODO: Shutting down an open source project](#)
- [TODO: Building leadership in an open source community](#)

- [TODO: Setting an Open Source Strategy](#)
- [git](#)
- [ipfs](#)
- [jenkins](#)
- [jira](#)
- [partoscommunity](#)
- [zeromq](#)
- [zntp](#)
- [xapend.c_hwarch](#)
- [C.1 Embedded Systems](#)
- [C.1.1 Embedded Subsystem](#)
- [C.1.2 Standalone Embedded Systems](#)
- [C.1.3 Networked Embedded Systems](#)
- [C.2 Servers](#)
- [C.2.1 Software Servers](#)
- [C.2.2 Hardware Servers](#)
- [C.3 Desktops](#)
- [C.4 Handheld Computers](#)
- [C.5 Supercomputers](#)
- [C.6 Network Devices](#)
- [xapend.d_opsys](#)
- [android](#)
- [apstra](#)
- [axure_rtos](#)
- [azure_sphere_os](#)
- [balenaos](#)
- [blackberry_qnx](#)
- [centos](#)
- [chromium_os](#)
- [cisco_dna_software](#)
- [cisco_ios](#)
- [cisco_ios_xr](#)
- [cisco_nx-os](#)
- [clearos](#)
- [cloudready](#)
- [extremexos](#)
- [freebsd](#)
- [freertos](#)
- [ibm_i](#)
- [ios](#)
- [junos_os](#)
- [lynxos](#)
- [nokia_x_software_platform](#)
- [open_network_linux](#)
- [openserver](#)
- [oracle_linux](#)
- [oracle_solaris](#)
- [rhel](#)

- [santricity_software](#)
- [sco_unixware](#)
- [suse_linux_ee](#)
- [truenas](#)
- [ubuntu_linux](#)
- [windows](#)
- [windows_iot](#)
- [windows_nt](#)
- [windows_server](#)
- [windows_xp](#)
- [xapend.e_tools](#)
- [Tools: Archiving and Release Management](#)
- [Tools: Bug and Issue Tracking](#)
- [Tools: Code Reviews](#)
- [Tools: Contributor License Agreements \(CLA\)](#)
- [Tools: GitHub Management at Corporate Scale](#)
- [Tools: Logging Tools](#)
- [Tools: Network Traffic Analysis](#)
- [Tools: Open Source Paradigm](#)
- [Tools: Project Quality](#)
- [Tools: Source Code Scanning and License Compliance](#)
- [Tools: Tracking Project Health](#)
- [xapend.f_qos](#)
- [F.1 User Data](#)
- [F.2 Topic Data](#)
- [F.3 Group Data](#)
- [F.4 Durability](#)
- [F.5 Durability Service](#)
- [F.6 Presentation](#)
- [F.8 Latency Budget](#)
- [F.7 Deadline](#)
- [F.9 Ownership](#)
- [F.10 Ownership Strength](#)
- [F.11 Liveliness](#)
- [F.12 Time Based Filter](#)
- [F.13 Partition](#)
- [F.14 Reliability](#)
- [F.15 Transport Priority](#)
- [F.16 Lifespan](#)
- [F.17 Destination Order](#)
- [F.18 History](#)
- [F.19 Resource Limits](#)
- [F.20 Entity Factory](#)
- [F.21 Writer Data Lifecycle](#)
- [F.22 Reader Data Lifecycle](#)
- [Appendix G: Tests](#)

- [Appendix H: Acronyms](#)
- [Appendix I: Cognitive Model](#)
- [Appendix J: Governance Model](#)

From:

<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:

https://www.omgwiki.org/dido/doku.php?id=wiki:ebook:dido_ra_3.0_full_version&rev=1633281828



Last update: **2021/10/03 13:23**