

2.1.6 Enterprise View

[return to Stakeholder Views](#)

Referring to the figure in Section [2.1 Stakeholder Views](#), one can observe that enterprises roughly map to an ecosphere; however, the enterprise does not necessarily control the ecosystems, platforms, or domains it now encompasses. From a DIDO perspective, all the ancillary data (i.e., external data) is accessed through the use of an *oracle*. There can be any number of oracles available to the node within a domain; these oracles can access data from centralized, decentralized, or other DIDs. Some examples of oracles¹⁾:

- Another domain within the same ecosystem
- Documents
- Relational databases
- NoSQL databases
- Flat files
- Web services
- Application services
- Event logs
- Retail transactions
- Bank account records
- Stock market streams



Figure 1: Oracles

One very important aspect of an enterprise with DIDO implementations is the heavy reliance on computer networks. These networks span all kinds of devices and operate in all kinds of environments, many of which rely on Disadvantaged Intermittent Links (DILs). Some examples are: nodes on mobile devices such as cell phones; submarines that are out of contact for long periods of time; nodes hit by natural and/or man-made disasters such as storms, earthquakes, or fire; devices that sleep to save power.

1)

This term should not be confused with the DBMS product from the Oracle Corporation; it is merely a term referring to something that is a good source of information.

From:
<https://www.omgwiki.org/dido/> - **DIDO Wiki**

Permanent link:
https://www.omgwiki.org/dido/doku.php?id=dido:public:ra:1.2_views:1_stakeholder:6_enterprise&rev=1617028726

Last update: **2021/03/29 10:38**

